



bellafill[®]

More than a filler.
A collagen builder.

Designed to deliver instant,
natural-looking volume that lasts.¹⁻²

Actual patient

A unique collagen builder that sustains lift over time.

Bellafill® helps your body build collagen for lasting support and smoothness.³



By stimulating your body to build its own collagen, Bellafill delivers instant, natural-looking results that last longer than other options.¹⁻³ Enjoy natural volume that builds beautifully over time.²

Are you ready for an option that delivers natural results that last? Ask your provider about Bellafill.

REAL, LASTING RESULTS YOU CAN SEE




BASELINE



AT 5 YEARS




BASELINE




AT 5 YEARS




BASELINE



AT 5 YEARS




BASELINE



AT 5 YEARS

Bellafill is indicated for use in smile lines or nasolabial folds.




Fill in and
smooth
acne scars^{4,5}

EVEN AFTER YOUR ACNE CLEARS, SCARS CAN REMAIN. BELLAFILL® FADES THESE SCARS BY ADDING LASTING VOLUME.^{4,5}


It's the only FDA-approved long-term solution for distensible acne scars, clinically proven to lift and smooth for lasting results.^{4,5}

In just one office visit, you can safely and effectively improve your acne scars.⁵

BEAUTIFUL, NATURAL-LOOKING RESULTS




BASELINE



AT 1 YEAR



BASELINE



AT 1 YEAR



BASELINE



AT 1 YEAR

Bellafill is indicated for moderate to severe, atrophic, distensible facial acne scars on the cheek in patients over the age of 21 years.



Satisfaction that stands the test of time

FDA APPROVED

to be safe and effective for up to 5 years⁴

THE MOST STUDIED BIOSTIMULATOR

with over 1,500 patients across
4 studies and up to 5 years^{1,3,5,7}

TRUSTED BY PROVIDERS & PATIENTS

across the U.S. since 2006⁸

82% of aesthetic patients want
a long-term filler⁶

84% satisfaction after 5 years¹

91% of filler users found a long-
lasting filler to be innovative⁶


A natural collagen stimulator

Unlike hyaluronic acid fillers, which often dissolve within a few months, Bellafill® creates a lasting improvement in your skin. Its tiny, polymethyl methacrylate (PMMA) microspheres are suspended within a base of smooth collagen gel, providing instant results upon treatment.⁵




Subtle. Lasting. Real.
Natural-looking results you can see and feel.

BELLAFILL MICROSPHERES




Once injected, Bellafill immediately adds volume to lift and smooth your skin.⁵

MICROSPHERES CREATE A SCAFFOLD



Over time, your body uses the microspheres to create a "scaffold" onto which your own collagen can develop.³

COLLAGEN FORMS A FOUNDATION



This collagen forms a foundation that adds volume to wrinkles, reducing their appearance.²⁻³



One treatment. Lasting results.

Bellafill® is a quick, in-office procedure with minimal downtime. Most people resume daily activities the same day.

Once injected by your practitioner, Bellafill provides an immediate improvement that you can enjoy as soon as you leave the office.⁵

Keep in mind each patient is unique and your results may vary.

“What I liked most was how subtle it looked. People said I looked refreshed – not ‘done’. I didn’t have to go back every few months like with other filler.”

BRIAN T., 47

bellafill®

MORE THAN A FILLER.
A COLLAGEN BUILDER.

Stop Refilling. Start Rebuilding.

Ask your provider how you can start stimulating collagen today.

REFERENCES

1. Cohen S, Dover J, Monheit G, et al. Five-year safety and satisfaction study of PMMA-Collagen in the correction of nasolabial folds. *Dermatol Surg.* 2015;41:S302-S313.
2. Lemperle G, Knapp TR, Sadick NS, et al. ArteFill® permanent injectable for soft tissue augmentation: I. Mechanism of action and injection techniques. *Aesth Plast Surg.* 2010;34:264-272. 3. Ronan ST, Eaton L, Lehman A, et al. Histologic characterization of polymethylmethacrylate dermal filler biostimulatory properties in human skin. *Dermatol Surg.* 2019;45:1580-1584. 4. Bellafill® Instructions for Use. Tiger Aesthetics Medical, LLC. 2020. 5. Karnik J, Baumann L, Bruce S, et al. A double-blind, randomized, multicenter, controlled trial of suspended polymethylmethacrylate microspheres for the correction of atrophic facial acne scars. *J Am Acad Dermatol.* 2014;71:77-83.
6. Data on File. Harris Poll. Tiger Aesthetics Medical, LLC. 2018. 7. Lehman A, Pilcher B, Roberts WE, et al. Postmarket experience of polymethylmethacrylate-collagen gel dermal filler. *Dermatol Surg.* 2020;46(8):1086-1091. 8. FDA.gov. <https://www.accessdata.fda.gov/scripts/cdrh/devicesatfda/index.cfm?db=pma&id=320094>. Accessed 12/18/2025.

Keep in mind that each patient is unique and your results may vary.

5870 Pacific Center Blvd, San Diego, CA 92121

Toll-free call (U.S. & Canada): 844-Bellafill (844-235-5234).

Local calls: 858-550-9999. International calls: + 858-550-9999.

IMPORTANT SAFETY INFORMATION

Bellafill is indicated for the correction of nasolabial folds and moderate to severe, atrophic, distensible facial acne scars on the cheek in patients over the age of 21 years. Patients who have had a positive reaction to the Bellafill Skin Test, have a history of severe allergies, have known bovine collagen allergies, are allergic to lidocaine, have bleeding disorders or are prone to thick scar formation and/or excessive scarring should not receive Bellafill. The safety of Bellafill for use during pregnancy, breastfeeding, or in patients under 21 has not been established. You may experience temporary swelling, redness, pain, bruising, lumps/bumps, itching, and discoloration at the treatment site. These side effects are usually transient and typically resolve within 1-7 days. You may experience lumps/bumps/papules that may occur more than one month after injection and that may persist. Less common side effects include rash and itching more than 48 hours after treatment, persistent swelling or redness, lumps/bumps, acne, and increased sensitivity at treatment sites. Infrequently, granulomas may occur and may be treated by your licensed physician provider. Be sure to call your licensed provider immediately if you notice any unusual skin reactions around the treatment area. Based on the 5-year Post-Approval Study on nasolabial folds with 1,008 patients, long-term safety of Bellafill for up to 5 years has been established.

For more safety information, please consult with your physician and the patient labeling that can be found by visiting our website www.bellafill.com.

Bellafill is protected by one or more of the following patents:
U.S. Patent Numbers: 9,789,222, 9,370,469, 9,370,470, 9,370,603

Bellafill® and Tiger Aesthetics™ are trademarks of Tiger Aesthetics Medical, LLC.
©2026 Tiger Aesthetics Medical, LLC.
All Rights Reserved. MDC-1452 REV00



**TIGER
AESTHETICS™**